



PRODUCT CATALOG

CURB ROLLER MANUFACTURING

Curb Roller	4
Stock Drums	6
Custom Drums	23
Badger Curb Maker	5
Hydra-Screed	25
Custom Drums	26
Hydra-Pack	28
Batt Screed	30
Eel Screed	31
Lynx Screed System	32



PROUD MEMBERS OF






CONNECT WITH US

 www.curbroller.com

 info@curbroller.com

 785-467-3132



Curb Roller Manufacturing
P.O. Box 68
112 South Main Street
Fairview, KS 66425



Curb Roller 4000

The Curb Roller is an award winning machine built to stand up to the rigor of every day concrete work, and has an intuitive design to help get the job done. The drums can easily be switched out, which means you don't have to be limited to one shaping style. Because of this, crews will see an average increase of 50% in their speed and production over the more traditional methods. Comes with a 3 year warranty.

SKU	ITEM
40900-001	CM4000



Curb Roller 4100

The CM4100 is the large frame version of the original Curb Roller CM4000. The frame handles up to a 9-1/4" curb height while still allowing standard or short drums to be used. Comes with a 3 year warranty.

SKU	ITEM
41900-001	CM4100



Includes: (1) Drum Sweep Kit, (1) Kickstand, (1) Two-Way Directional Valve, (1) Flow Control Block, (1) 25' Hose Assembly, (1) Auxiliary Handle, (1) Operator's Belt , (1) Quick Connect Couplers

Badger Curb Maker 4600

Designed to seamlessly shape and finish curbs after a screed has placed flatwork, the Badger Curb Maker is battery-powered and lightweight. The Badger can be paired with a variety of stock or custom drums to meet curb specification requirements. Powered by a DeWalt FLEXVOLT battery, this machine has the capability to complete 200+ linear feet with a single charge. The Curb Maker joins a growing trend of battery-powered equipment on job sites to provide a portable, cord-free solution for limited space sites.

SKU	ITEM
40910-001	CM4600
40225-000	Badger Drum



Includes: (1) Drive Unit, (2) DeWalt Batteries, (1) DeWalt FLEXVOLT Charger, (1) Operator's Belt, (1) Drum Sweep Kit, (1) Grade Boot






Drum Profile 1

The #1 drum profile is comparable to: Arkansas and Montana DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	3.00
BOTTOM RADIUS	3.00
TOP WIDTH	6.00
BATTER/LAYBACK	3.50

SKU	
STANDARD	40525-001
SHORT	40425-001
MONOLITHIC	40325-001
CURB MAKER	40225-001

ITEM	SKU
#1 WALKING CURB TOOL	40510-001
#1 HAND CURB TOOL	40510-501




Drum Profile 2

The #2 drum profile is comparable to: Colorado DOT type 2.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	1.50
BOTTOM RADIUS	1.50
TOP WIDTH	6.00
BATTER/LAYBACK	1.50

SKU	
STANDARD	40525-002
SHORT	40425-002
MONOLITHIC	40325-002
CURB MAKER	40225-002

ITEM	SKU
#2 WALKING CURB TOOL	40510-002
#2 HAND CURB TOOL	40510-502




Drum Profile 3

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	0.00
BOTTOM RADIUS	0.00
TOP WIDTH	4.00
BATTER/LAYBACK	8.00

SKU	
STANDARD	40525-003
SHORT	40425-003
MONOLITHIC	40325-003
CURB MAKER	40225-003

ITEM	SKU
#3 WALKING CURB TOOL	40510-003
#3 HAND CURB TOOL	40510-503




Drum Profile 4

SPECIFICATIONS	
CURB HEIGHT	3.00
TOP RADIUS	0.00
BOTTOM RADIUS	0.00
TOP WIDTH	0.00
BATTER/LAYBACK	10.25

SKU	
STANDARD	40525-004
SHORT	40425-004
MONOLITHIC	40325-004
CURB MAKER	40225-004

ITEM	SKU
#4 WALKING CURB TOOL	40510-004
#4 HAND CURB TOOL	40510-504




Drum Profile 5

SPECIFICATIONS	
CURB HEIGHT	3.00
TOP RADIUS	0.00
BOTTOM RADIUS	0.00
TOP WIDTH	3.00
BATTER/LAYBACK	10.25

SKU	
STANDARD	40525-005
SHORT	40425-005
MONOLITHIC	40325-005
CURB MAKER	40225-005

ITEM	SKU
#5 WALKING CURB TOOL	40510-005
#5 HAND CURB TOOL	40510-505




Drum Profile 6

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	2.00
BOTTOM RADIUS	1.00
TOP WIDTH	6.00
BATTER/LAYBACK	1.50

SKU	
STANDARD	40525-006
SHORT	40425-006
MONOLITHIC	40325-006
CURB MAKER	40225-006

ITEM	SKU
#6 WALKING CURB TOOL	40510-006
#6 HAND CURB TOOL	40510-506




Drum Profile 7

SPECIFICATIONS	
CURB HEIGHT	2.00
TOP RADIUS	0.00
BOTTOM RADIUS	0.00
TOP WIDTH	0.00
BATTER/LAYBACK	18.00

SKU	
STANDARD	40525-007

ITEM	SKU
#7 WALKING CURB TOOL	40510-007
#7 HAND CURB TOOL	40510-507




Drum Profile 8

The #8 drum profile is comparable to: North Carolina DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	3.00
BOTTOM RADIUS	3.00
TOP WIDTH	6.00
BATTER/LAYBACK	0.00

SKU	
STANDARD	40525-008
SHORT	40425-008
MONOLITHIC	40325-008
CURB MAKER	40225-008

ITEM	SKU
#8 WALKING CURB TOOL	40510-008
#8 HAND CURB TOOL	40510-508




Drum Profile 9

SPECIFICATIONS	
CURB HEIGHT	3.00
TOP RADIUS	6.00
BOTTOM RADIUS	6.00
TOP WIDTH	6.00
BATTER/LAYBACK	3.75

SKU	
STANDARD	40525-009
SHORT	40425-009
MONOLITHIC	40325-009
CURB MAKER	40225-009

ITEM	SKU
#9 WALKING CURB TOOL	40510-009
#9 HAND CURB TOOL	40510-509




Drum Profile 10

SPECIFICATIONS	
CURB HEIGHT	4.00
TOP RADIUS	10.00
BOTTOM RADIUS	24.00
TOP WIDTH	5.50
BATTER/LAYBACK	7.50

SKU	
STANDARD	40525-010
SHORT	40425-010
MONOLITHIC	40325-010
CURB MAKER	40225-010

ITEM	SKU
#10 WALKING CURB TOOL	40510-010
#10 HAND CURB TOOL	40510-510




Drum Profile 11

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	0.00
BOTTOM RADIUS	0.00
TOP WIDTH	4.00
BATTER/LAYBACK	6.00

SKU	
STANDARD	40525-011
SHORT	40425-011
MONOLITHIC	40325-011
CURB MAKER	40225-011

ITEM	SKU
#11 WALKING CURB TOOL	40510-011
#11 HAND CURB TOOL	40510-511




Drum Profile 12

SPECIFICATIONS	
CURB HEIGHT	3.00
TOP RADIUS	24.00
BOTTOM RADIUS	12.00
TOP WIDTH	5.00
BATTER/LAYBACK	7.50

SKU	
STANDARD	40525-012
SHORT	40425-012
MONOLITHIC	40325-012
CURB MAKER	40225-012

ITEM	SKU
#12 WALKING CURB TOOL	40510-012
#12 HAND CURB TOOL	40510-512




Drum Profile 13

The #13 drum profile is comparable to: Florida DOT type F.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	2.00
BOTTOM RADIUS	3.00
TOP WIDTH	6.00
BATTER/LAYBACK	2.00

SKU	
STANDARD	40525-013
SHORT	40425-013
MONOLITHIC	40325-013
CURB MAKER	40225-013

ITEM	SKU
#13 WALKING CURB TOOL	40510-013
#13 HAND CURB TOOL	40510-513




Drum Profile 14

The #14 drum profile is comparable Illinois, Georgia, Washington, and Utah DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	1.00
BOTTOM RADIUS	0.00
TOP WIDTH	6.00
BATTER/LAYBACK	1.00

SKU	
STANDARD	40525-014
SHORT	40425-014
MONOLITHIC	40325-014
CURB MAKER	40225-014

ITEM	SKU
#14 WALKING CURB TOOL	40510-014
#14 HAND CURB TOOL	40510-514




Drum Profile 15

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	7.75
BOTTOM RADIUS	7.75
TOP WIDTH	1.50
BATTER/LAYBACK	0.00

SKU	
STANDARD	40525-015
SHORT	40425-015
MONOLITHIC	40325-015
CURB MAKER	40225-015

ITEM	SKU
#15 WALKING CURB TOOL	40510-015
#15 HAND CURB TOOL	40510-515




Drum Profile 16

The #16 drum profile is comparable to: Virginia and Texas DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	2.00
BOTTOM RADIUS	0.00
TOP WIDTH	6.00
BATTER/LAYBACK	2.00

SKU	
STANDARD	40525-016
SHORT	40425-016
MONOLITHIC	40325-016
CURB MAKER	40225-016

ITEM	SKU
#16 WALKING CURB TOOL	40510-016
#16 HAND CURB TOOL	40510-516




Drum Profile 17

The #17 drum profile is comparable to: Virginia and Kentucky DOT.

SPECIFICATIONS	
CURB HEIGHT	4.00
TOP RADIUS	0.00
BOTTOM RADIUS	1.00
TOP WIDTH	2.00
BATTER/LAYBACK	5.00

SKU	
STANDARD	40525-017
SHORT	40425-017
MONOLITHIC	40325-017
CURB MAKER	40225-017

ITEM	SKU
#17 WALKING CURB TOOL	40510-017
#17 HAND CURB TOOL	40510-517




Drum Profile 18

The #18 drum profile is comparable to: Florida DOT type E.

SPECIFICATIONS	
CURB HEIGHT	5.00
TOP RADIUS	1.75
BOTTOM RADIUS	0.75
TOP WIDTH	0.00
BATTER/LAYBACK	9.00

SKU	
STANDARD	40525-018
SHORT	40425-018
MONOLITHIC	40325-018
CURB MAKER	40225-018

ITEM	SKU
#18 WALKING CURB TOOL	40510-018
#18 HAND CURB TOOL	40510-518




Drum Profile 19

The #19 drum profile is comparable to: Kansas DOT type 1.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	2.50
BOTTOM RADIUS	2.50
TOP WIDTH	6.00
BATTER/LAYBACK	3.50

SKU	
STANDARD	40525-019
SHORT	40425-019
MONOLITHIC	40325-019
CURB MAKER	40225-019

ITEM	SKU
#19 WALKING CURB TOOL	40510-019
#19 HAND CURB TOOL	40510-519




Drum Profile 20

The #20 drum profile is comparable to: Sacramento (California).

SPECIFICATIONS	
CURB HEIGHT	3.63
TOP RADIUS	16.00
BOTTOM RADIUS	2.00
TOP WIDTH	0.00
BATTER/LAYBACK	0.00

SKU	
STANDARD	40525-020
SHORT	40425-020
MONOLITHIC	40325-020
CURB MAKER	40225-020

ITEM	SKU
#20 WALKING CURB TOOL	40510-020
#20 HAND CURB TOOL	40510-520




Drum Profile 21

The #21 drum profile is comparable to: Ontario (Canada).

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	1.00
BOTTOM RADIUS	1.00
TOP WIDTH	6.00
BATTER/LAYBACK	2.00

SKU	
STANDARD	40525-021
SHORT	40425-021
MONOLITHIC	40325-021
CURB MAKER	40225-021

ITEM	SKU
#21 WALKING CURB TOOL	40510-021
#21 HAND CURB TOOL	40510-521




Drum Profile 22

The #22 drum profile is comparable to: Michigan DOT type F.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	2.00
BOTTOM RADIUS	2.00
TOP WIDTH	6.00
BATTER/LAYBACK	1.75

SKU	
STANDARD	40525-022
SHORT	40425-022
MONOLITHIC	40325-022
CURB MAKER	40225-022

ITEM	SKU
#22 WALKING CURB TOOL	40510-022
#22 HAND CURB TOOL	40510-522




Drum Profile 23

The #23 drum profile is comparable to Michigan DOT type C. **Requires CM4100.**

SPECIFICATIONS	
CURB HEIGHT	7.00
TOP RADIUS	2.00
BOTTOM RADIUS	3.00
TOP WIDTH	6.00
BATTER/LAYBACK	2.00

SKU	
STANDARD	40525-023
SHORT	40425-023
MONOLITHIC	40325-023
CURB MAKER	40225-023

ITEM	SKU
#23 WALKING CURB TOOL	40510-023
#23 HAND CURB TOOL	40510-523




Drum Profile 24

The #24 drum profile is comparable to: Nebraska DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	4.00
BOTTOM RADIUS	8.44
TOP WIDTH	0.00
BATTER/LAYBACK	0.00

SKU	
STANDARD	40525-024
SHORT	40425-024
MONOLITHIC	40325-024
CURB MAKER	40225-024

ITEM	SKU
#24 WALKING CURB TOOL	40510-024
#24 HAND CURB TOOL	40510-524




Drum Profile 25

The #25 drum profile is comparable to: Oregon, South Carolina DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	1.00
BOTTOM RADIUS	1.00
TOP WIDTH	6.00
BATTER/LAYBACK	1.00

SKU	
STANDARD	40525-025
SHORT	40425-025
MONOLITHIC	40325-025
CURB MAKER	40225-025

ITEM	SKU
#25 WALKING CURB TOOL	40510-025
#25 HAND CURB TOOL	40510-525




Drum Profile 26

The #26 drum profile is comparable to: Tennessee DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	0.50
BOTTOM RADIUS	1.00
TOP WIDTH	6.00
BATTER/LAYBACK	0.50

SKU	
STANDARD	40525-026
SHORT	40425-026
MONOLITHIC	40325-026
CURB MAKER	40225-026

ITEM	SKU
#26 WALKING CURB TOOL	40510-026
#26 HAND CURB TOOL	40510-526




Drum Profile 27

The #27 drum profile is comparable to: South Carolina DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	2.00
BOTTOM RADIUS	2.50
TOP WIDTH	2.00
BATTER/LAYBACK	4.00

SKU	
STANDARD	40525-027
SHORT	40425-027
MONOLITHIC	40325-027
CURB MAKER	40225-027

ITEM	SKU
#27 WALKING CURB TOOL	40510-027
#27 HAND CURB TOOL	40510-527




Drum Profile 28

The #28 drum profile is comparable to: South Carolina DOT.

SPECIFICATIONS	
CURB HEIGHT	3.00
TOP RADIUS	10.00
BOTTOM RADIUS	10.00
TOP WIDTH	2.00
BATTER/LAYBACK	0.00

SKU	
STANDARD	40525-028
SHORT	40425-028
MONOLITHIC	40325-028
CURB MAKER	40225-028

ITEM	SKU
#28 WALKING CURB TOOL	40510-028
#28 HAND CURB TOOL	40510-528




Drum Profile 29

SPECIFICATIONS	
CURB HEIGHT	4.00
TOP RADIUS	18.00
BOTTOM RADIUS	18.00
TOP WIDTH	1.00
BATTER/LAYBACK	0.00

SKU	
STANDARD	40525-029
SHORT	40425-029
MONOLITHIC	40325-029
CURB MAKER	40225-029

ITEM	SKU
#29 WALKING CURB TOOL	40510-029
#29 HAND CURB TOOL	40510-529




Drum Profile 30

The #30 drum profile is comparable to: Idaho DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	1.00
BOTTOM RADIUS	3.50
TOP WIDTH	6.00
BATTER/LAYBACK	0.00

SKU	
STANDARD	40525-030
SHORT	40425-030
MONOLITHIC	40325-030
CURB MAKER	40225-030

ITEM	SKU
#30 WALKING CURB TOOL	40510-030
#30 HAND CURB TOOL	40510-530




Drum Profile 31

Designed for mini storage unit doorway notches.

SPECIFICATIONS	
CURB HEIGHT	1.50
TOP RADIUS	0.50
BOTTOM RADIUS	0.50
TOP WIDTH	8.00
BATTER/LAYBACK	1.50

SKU	
MONOLITHIC	40325-031

ITEM	SKU
#31 WALKING CURB TOOL	40510-031
#31 HAND CURB TOOL	40510-531




Drum Profile 32

The #32 drum profile is comparable to: South Dakota DOT.

SPECIFICATIONS	
CURB HEIGHT	6.00
TOP RADIUS	3.00
BOTTOM RADIUS	3.00
TOP WIDTH	6.00
BATTER/LAYBACK	2.00

SKU	
STANDARD	40525-032
SHORT	40425-032
MONOLITHIC	40325-032
CURB MAKER	40225-032

ITEM	SKU
#32 WALKING CURB TOOL	40510-032
#32 HAND CURB TOOL	40510-532





40900-001
40525-002

Curb Roller Custom Drums

Don't see the profile you need in our stocked drums section? Have an upcoming job with distinct specs? We can build a custom drum just for you! Custom Curb Roller Drums can be made for the CM4000 or CM4100 frames, helping you cut down production times. Whether it's for curb and gutter, monolithic pours, miniature v-gutter, or some other unique shape, our custom drums are perfect for those odd shapes where consistency is key.

SKU	ITEM
70000-000	Custom Drum (CM4000)



- | | | |
|-------------------|------------------|----------------------|
| 1. Curb Height | 2. Curb Head | 3. Top Radius |
| 4. Batter/Layback | 5. Bottom Radius | 6. Gutter/Pan Length |
| 7. Catch/Inflow | 8. Spill/Outflow | 9. Overall Concrete |

NOTE: The above reference image does not represent all custom drum possibilities.
Not all drums will have Catch/Inflow (7) or Spill/Outflow (8).



Hydra-Screed 3000

With less effort your crew will produce a high quality, flatter concrete slab every time. Our Hydra-Screed has the weight and strength to move over 6" of concrete along the pour while allowing operators to remain in a standing position. The Hydra-Screed's rubber inserts can easily be removed to accommodate any desired length of pipe, custom V flume, crowned roller screed, and numerous other desired profiles. Comes with a 3 year warranty.

*Pipe Sold Separately

SKU	ITEM
30900-001	HS3000
30525-000	6" OD 10 Gauge Steel Pipe



Includes: (1) Two-Way Directional Valve, (1) Flow Control Block, (2) Expandable Pipe Ends, (1) T-Bar Pull Handle, (1) 40' Hose Assembly, (1) Quick Connect Couplers, (2) Operator's Belts, (1) Pull Bearing




30900-001
30525-012
13900-001

Hydra-Screed Custom Drum





What would you do if your crew could eliminate the need for multiple pours on a unique concrete project like a drainage ditch? You wouldn't have to keep checking the weather to make sure the following days would be conducive to placing other sections. You wouldn't have to question if the angle on each side is even and correct. You could even split your crew out to take on other jobs.

Custom drums from Curb Roller Manufacturing ensure a uniform, built-to-spec finish every time. No inconsistencies and low spots. No redundant cross-forming. Just custom concrete shaping solutions, made just for you.

SKU	ITEM
72000-000	Custom Drum HS3000



30900-001
72000-000
30912-003
30910-000



13900-001
30900-001
72000-000
30912-003



Hydra-Pack 1300

The HP1300 has a Honda GX390 engine and is perfect for job sites where a skid loader or mini excavator won't fit. This heavy duty power unit delivers an impressive two-way directional flow of 5-8 GPM with adjustable PSI and a max PSI of 2250. An 11-gallon tank provides plenty of hydraulic fluid and cooling capacity, while the 13" no-flat tires let you navigate through the rough terrain of any job site. At the size of a standard generator, the Hydra-Pack HP1300 easily fits in the back of a pickup or job trailer. Comes with a 3 year warranty.

SKU	ITEM
13900-001	HP1300



Batt Screed 6000

The Batt Screed is powered by a rechargeable 60-volt lithium-ion battery for impressive power and run time. It eliminates exhaust fumes, power cords, and hydraulic hoses typically found in traditional roller screeds. It comes with expandable tube inserts that allow easy transition between tubes 3 ft. to 22 ft long. A three-position handle folds and locks for compact and lightweight transport, and with the simple pull of two pins one person can detach the screed from the tube in less than a minute. Comes with a 1 year warranty on the machine, and a 3 year warranty on the batteries.

*Pipe Sold Separately

SKU	ITEM
60900-001	BS6000
60525-000	4" SCH 40 Aluminum Pipe



Includes: (1) Drive Unit, (1) T-bar Assembly, (2) Expandable Pipe Ends, (2) DeWalt Batteries, (1) DeWalt FLEXVOLT Charger, (1) Pull Bushing



60900-001
60525-010



61900-001
60525-012



Eel Screed 6100

Save your knees, back, and time with the best corded roller screed on the market! The Eel Screed works with 120V outlets and comes with expandable tube inserts that allow for easy transition between tubes 3 ft. to 22 ft long. A three-position handle folds and locks for compact and lightweight transport, and with the simple pull of two pins one person can detach the screed from the tube in less than a minute. Comes with a 1 year warranty.

*Pipe Sold Separately

SKU	ITEM
61900-001	ES6100
60525-000	4" SCH 40 Aluminum Pipe

Includes: (1) Drive Unit, (1) T-bar Assembly, (2) Expandable Pipe Ends, (1) Pull Bushing

9 FT



8 FT



7 FT



6 FT



5 FT



3 FT



Lynx Screed System

This versatile system provides a series of linkable screed pipes to accommodate concrete pours in varying widths from 3 to 22 feet. Unlike traditional concrete roller screeds, the Lynx modular system removes the need for purchasing dedicated pipe lengths to offer easy adaptability for a multitude of pours. Any contractor can go from screeding a 20-foot-wide street to a 5-foot-wide sidewalk in the same day with connectable sections that fit in a pickup. With a quick, secure design, this patent-pending system removes the need to retighten pipes mid-job or worry about unthreading.

SKU	ITEM
60525-579	Lynx Screed System 5' 7' 9' Kit
60525-777	Lynx Screed System 7' 7' 7' Kit
60525-678	Lynx Screed System 6' 7' 8' Kit
60525-367	Lynx Screed System 3' 6' 7' Kit
60525-309	Lynx Screed System 3' 5' 6' 7' 8' 9' Kit
1350-003	Lynx Screed System 3' Pipe Only
1350-005	Lynx Screed System 5' Pipe Only
1350-006	Lynx Screed System 6' Pipe Only
1350-007	Lynx Screed System 7' Pipe Only
1350-008	Lynx Screed System 8' Pipe Only
1350-009	Lynx Screed System 9' Pipe Only
60559-001	Lynx Centering Ring Kit
60558-001	Lynx Drive Connector Kit



" I was very pleased with the build quality & performance of the equipment, and we poured 2-3 times the amount of ditch that we were capable of before investing in this setup. Thanks to the Hydra-Screed and custom drum, we produced a more consistent and uniform finished product. "

Mark Kerrick
Kerrick Construction



" We are extremely happy with the results using our Curb Roller on the McFarland project. The Curb Roller allowed us to place all the curb and gutter in one day, and gave us the finish and consistency we were looking for. We are another satisfied customer! "

Scott Schon
WCI Concrete Repair

" I was very impressed with the Batt Screed and was surprised by how easy it was to pull. I have hand rodded in the past, but wasn't going to attempt this size of pour by hand. The Batt Screed used three charged 12 amp hour batteries to pour the whole 120'x62' shed floor and made it nice and flat. "

Will Edelman





SHAPE CONCRETE WITH CONFIDENCE

WWW.CURBROLLER.COM

| 785-467-3132

| INFO@CURBROLLER.COM

